


BUTTON IMPORT
POSTMAN

"Optimisme adalah iman yang menuntunmu ke pencapaian" - Helen Keller



Main Objective

- Mengenal apa itu button import postman
- Mengenal feature yang ada di button import postman



APA ITU BUTTON IMPORT?


Button import digunakan untuk mengimport data seperti collection, request url ,environment, dan lain-lain

FEATURE YANG ADA DI BUTTON IMPORT



1. File

Fitur ini digunakan untuk upload file collection yang ingin di import. Berikut adalah cara import file


- a. Klik button import, klik file kemudian klik button “Upload Files”



b. Kemudian pilih file collection yang akan kita pilih pada computer/device kita. Setelah itu akan tampil file yang sudah kita pilih tadi ada nama file, format file dan lain-lain, lalu kita klik tombol import



c. Jika sudah berhasil import maka akan tampil notifikasi berhasil seperti gambar dibawah ini dan collection yang sudah kita import tadi bisa kita lihat pada menu collection



Contoh collection yang berhasil diimport


The screenshot shows the "Collection analyst" interface with a sidebar and a main content area. The sidebar has a tree view with the following structure:

- > Collection analyst
- > Flip for Business - API [Template]
 - > V2 API
 - > General
 - > Bank Account Inquiry
 - > City & Country
 - > International Transfer
 - GET Get Exchange Rates
 - GET Get Form Data
 - POST Create International Tran...
 - GET Get International Transfer
 - GET Get All International Tran...
 - > Agent Money Transfer
 - > Agent Verification
 - > Agent Verification (KYC Part)
 - > Accept Payment
 - > V3 API

2. Folder

Digunakan untuk import folder yang biasanya berupa collection dari device/computer kita. Cara import folder kurang lebih sama dengan import file dan hasilnya pun sama.


- Klik folder
- Pilih folder yang ingin kita import kemudian klik open
- Klik tombol import
- Isi dari folder berhasil diimport



3. Link

Digunakan untuk import link yang biasanya berupa collection api. Cara import link kurang lebih sama dengan import file dan hasilnya pun sama.

- Klik link
- Masukkan URL yang ingin kita import kemudian klik tombol Continue
- Klik tombol import
- Isi dari link berhasil diimport



4. Raw Text

Digunakan untuk import curl. Cara import raw text adalah

- Klik raw text
- Masukkan curl yang ingin kita import kemudian klik tombol Continue
- Klik tombol import
- Isi dari curl berhasil diimport dan hasilnya seperti gambar disamping

The screenshot shows the Postman application interface. At the top, there's a navigation bar with tabs: Import, File, Folder, Link, Raw text (which is selected), and Code repository. Below the tabs, there's a section labeled "Paste raw text" containing a curl command:

```
curl --location --request GET 'https://petstore.swagger.io/v2/pet/findByStatus?status=available&status=available' \
--header 'Accept: application/json'
```

At the bottom right of this panel is an orange "Continue" button. The main workspace below shows a list of requests at the top, including "POST test1", "POST https://www.tutor", "GET Finds Pets by status", and "GET https://petstore.". The "GET https://petstore." request is currently selected. Its details are shown in the center: method "GET", URL "https://petstore.swagger.io/v2/pet/findByStatus?status=available&status=available", and a "Send" button. Below the URL, under the "Params" tab, there are two entries: "status" with value "available" and another "status" entry with value "available". There are also sections for "Headers", "Body", "Pre-request Script", "Tests", "Settings", and "Cookies". At the bottom, there's a "Response" section.



Conclusion

- Student mengetahui apa itu button import postman
- Student mengetahui feature yang ada di button import postman

Sources:

- <https://blog.compactbyte.com/2022/01/08/memakai-postman-untuk-testing-web-api/>